

Package ‘alone’

September 2, 2024

Type Package

Title Datasets from the Survival TV Series Alone

Version 0.5

Description A collection of datasets on the Alone survival TV series in tidy format.
Included in the package are 4 datasets detailing the survivors, their loadouts,
episode details and season information.

Depends R (>= 3.5.0)

Suggests dplyr, ggplot2, forcats

License CC0

URL <https://github.com/doehm/alone>

BugReports <https://github.com/doehm/alone/issues>

Encoding UTF-8

LazyData true

RoxygenNote 7.2.3

NeedsCompilation no

Author Daniel Oehm [aut, cre]

Maintainer Daniel Oehm <danieloehm@gmail.com>

Repository CRAN

Date/Publication 2024-09-02 03:30:03 UTC

Contents

episodes	2
loadouts	3
seasons	4
survivalists	5
Index	7

episodes

Episodes

Description

Contains details of each episode including the title, number of viewers, beginning quote and IMDb rating

Usage

```
episodes
```

Format

This data frame contains the following columns:

version Country code for the version of the show
season The season number
episode_number_overall Episode number across seasons
episode Episode number
title Episode title
day_start The day the episode started on
n_remaining How are remaining at the start of the episode
air_date Date the episode originally aired
viewers Number of viewers in the US (millions)
quote The beginning quote
author Author of the beginning quote
imdb_rating IMDb rating of the episode
n_ratings Number of ratings given for the episode
description Description of the episode from IMDb

Source

[https://en.wikipedia.org/wiki/List_of_Alonge_episodes#Season_1_\(2015\)_-_Vancouver_Island](https://en.wikipedia.org/wiki/List_of_Alonge_episodes#Season_1_(2015)_-_Vancouver_Island)

Examples

```
library(dplyr)
library(ggplot2)

episodes |>
  ggplot(aes(episode_number_overall, viewers, colour = as.factor(season))) +
  geom_line()
```

`loadouts`*Loadouts*

Description

Information on each survivalists loadout of 10 items

Usage

```
loadouts
```

Format

This data frame contains the following columns:

`version` Country code for the version of the show

`season` The season number

`id` Survivalist ID

`name` Name of the survivalist

`item_number` Item number

`item_detailed` Detailed loadout item description

`item` Loadout item. Simplified for aggregation

Source

[https://en.wikipedia.org/wiki/Alone_\(TV_series\)](https://en.wikipedia.org/wiki/Alone_(TV_series))

Examples

```
library(dplyr)
library(ggplot2)
library(forcats)

loadouts |>
  count(item) |>
  mutate(item = fct_reorder(item, n, max)) |>
  ggplot(aes(item, n)) +
  geom_col() +
  geom_text(aes(item, n + 3, label = n)) +
  coord_flip()
```

seasons

Seasons

Description

Season summary includes location and other season level information

Usage

```
seasons
```

Format

This data frame contains the following columns:

version Country code for the version of the show

season The season number

subtitle Season subtitle

location Location

country Country

region Region

n_survivors Number of survivors. Season 4 there were 7 teams of 2.

lat Latitude

lon Longitude

date_drop_off Date the survivors where dropped off

Source

[https://en.wikipedia.org/wiki/Alone_\(TV_series\)](https://en.wikipedia.org/wiki/Alone_(TV_series))

Examples

```
library(dplyr)
```

```
seasons |>  
count(country)
```

survivalists	<i>Survivalists</i>
--------------	---------------------

Description

Contains details of each survivalist including demographics and results.

Usage

survivalists

Format

This data frame contains the following columns:

version Country code for the version of the show

season The season number

id Survivalist ID

name Name of the survivalist

first_name First name of the survivalist

last_name Last name of the survivalist

age Age of survivalist

gender Gender

city City

state State

country Country

result Place the survivalist finished in the season

days_lasted The number of days lasted in the game before tapping out or winning

medically_evacuated Logical. If the survivalist was medically evacuated from the game

reason_tapped_out The reason the survivalist tapped out of the game. NA means they were the winner

reason_category A simplified category of the reason for tapping out

episode_tapped Episode tapped out

team The team they were associated with (only for season 4)

day_linked_up Day the team members linked up

profession Profession

Source

[https://en.wikipedia.org/wiki/List_of_Alone_episodes#Season_1_\(2015\)-_Vancouver_Island](https://en.wikipedia.org/wiki/List_of_Alone_episodes#Season_1_(2015)-_Vancouver_Island)

Examples

```
library(dplyr)
library(ggplot2)

survivalists |>
  count(reason_category, gender) |>
  filter(!is.na(reason_category)) |>
  ggplot(aes(reason_category, n, fill = gender)) +
  geom_col()
```

Index

* **datasets**

episodes, [2](#)

loadouts, [3](#)

seasons, [4](#)

survivalists, [5](#)

episodes, [2](#)

loadouts, [3](#)

seasons, [4](#)

survivalists, [5](#)