

Package ‘tracer’

October 14, 2022

Title Slick Call Stacks

Version 1.0.0

Description Better looking call stacks after an error.

License MIT + file LICENSE

LazyData true

URL <https://github.com/mangothecat/tracer#readme>

BugReports <https://github.com/mangothecat/tracer/issues>

Imports clisymbols, crayon, prettycode, utils

Suggests covr, mockery, testthat

RoxygenNote 5.0.1.9000

Encoding UTF-8

NeedsCompilation no

Author Gabor Csardi [aut, cre]

Maintainer Gabor Csardi <csardi.gabor@gmail.com>

Repository CRAN

Date/Publication 2017-01-28 17:31:38

R topics documented:

tb	2
Index	3

tb *A better* `base::traceback()`

Description

Compared to `base::traceback()`, `tb`

- shows the stack from top to bottom, the same way as `utils::recover()`,
- shows references to source files in a clickable form (in terminals that support this),
- cuts long lines of code,
- colors the output nicely (although this is a matter of taste),
- can show the source code where the error happened, with syntax highlighting, if the source code is available.

Usage

```
tb(frame = NULL, context = 5)
```

```
bt(frame = NULL, context = 5)
```

Arguments

frame	If NULL, the stack trace is shown. If it is an integer referring to a frame in the stack, the source code of the corresponding call is shown.
context	Number of source code lines to show before and after the current line.

Details

`bt` is an alias to `tb`.

The custom error handler

`tracer` defines an error handler when loaded, via a call to `options(error = tracer:::dumper)`. If you overwrite the error handler, then `tb` does not work properly. You can reinstate the `tracer:::dumper` error handler via an explicit call to `options()`.

Index

`bt (tb)`, [2](#)

`tb`, [2](#)

`utils::recover()`, [2](#)