LIVE.LONG.DC. Summit Data Presentations

July 28, 2021



Live Long DC - Opioid Stakeholders Summit



Office of the Chief Medical Examiner

The DC Office of the Chief Medical Examiner (OCME) has investigated a total of **1543** opioid-related fatal overdose from January 2016 to April 30, 2021.



Demographic Figures






Figure 7: Percentage of Drug Overdoses due to Opioid Use by Gender and Year



Female

Male

Fig. 6: Number of Drug Overdoses due to Opioid Use by Race/Ethnicity and Year



Average Number of Monthly Fatal Overdoses Due to Opioid Use

2017: 23 2018: 18 2019: 23 2020: 34 *2021***: 31**




Fig. 1(b): Number of Drug Overdoses due to Opioid Use by Month and Year (N=1543)

Trends in Prescription Opioids in Fatal Overdoses

The number of prescription opioids found in opioid related overdoses has varied over the years of data collection, however methadone and buprenorphine are currently the most prevalent prescription opioids identified.








Fig. 4: Number of Prescription Opioids Contributing to Drug Overdoses by Year (n=319)



Trends in the Numbers of Opioid Drugs Contributing to Fatal Overdoses


Fig. 2: Total Number of Opioid Drugs Contributing to Drug Overdoses by Year (All Opioids)



Overall, the most prevalent opioid drugs identified were fentanyl followed by heroin and fentanyl analogs.

Fentanyl	<u>2020</u> 94%	<u>2021</u> 92%
Heroin	26%	23%
FA's	29%	15%

Fatal Overdoses Containing Fentanyl/Fentanyl Analogs



The percentage of cases containing fentanyl or a fentanyl analog:


2015: 20% 2020: 94%

fatal overdoses.

Trends in Cocaine and Opioid Fatal Overdoses

Since 2018:

- opioid-only fatal overdose have stayed consistent since 2019
- cocaine-only fatal overdoses have increased in 2021
- cocaine and opioid overdoses have remained steady; on pace for an increase in 2021



Percent of Deaths	due to	Cocaineand	Opioids	(2017-

Breakdown of Cocaine and Opioid Overdoses by Year, Race and					
Gender 2017- April 2021					
	2017	2018	2019	2020	2021
Black					
Male	55	61	62	75	29
Female	32	17	31	50	10
White					
Male	5	6	4	10	5
Female	5	6	4	2	0
Other					
Male	2	1	4	8	0
Female	2	0	1	1	0

McDowell Digital Media, Inc. | 202)

Trends in Location of Fatal Opioid Overdoses

78% of 2020 fatal opioid overdoses took place within a residence. 67% of those cases were within the decedent's household.

This may be driven by the pandemic and lock-down protocols, but also impacts the effect of the push for Naloxone availability to counter opioid abuse.

Location of Injury of Fatal Opioid Overdoses (Jan-Dec 2020)		
Residence	320	
Decedents residence	214	
Family members residence	10	
Friend/acquaintance residence	52	
Hospital/Nursing Home	2	
Hotel/Motel	7	
Unspecified residence	5	
Shelter/Halfway house	20	
Vacant residence	10	
Non-Residence*	86	
Unknown	5	
* non-residence includes street, bus stop, outside, park, alley/rear of buildings, place of work, restaurant/shop		

Location of Injury of Fatal Opioid Overdoses (Jan-Dec 2020)		
Residence	78%	
Decedents residence	67%	
Family members residence	3%	
Friend/aquantience residence	16%	
Hospital/Nursing Home	1%	
Hotel/Motel	2%	
Unspecified residence	2%	
Shelter/Halfway house	6%	
Vacant residence	3%	
Non-Residence*	21%	
Unknown	1%	
* non-residence includes street, bus stop, outside, park, alley/rear of buildings, place of work, restaurant/shop		

Trends in Location of Fatal Opioid Overdoses

76% of 2019 fatal opioid overdoses took place within a residence. 71% of those cases were within the decedent's household.

Location of Injury of Fatal Opioid Overdoses (2019)

76%
71%
6%
15%
1%
0%
2%
3%
1%
23%
1%

homeless camp

Location of Injury of Fatal Opioid Overdoses (2019)

Residence	213	
Decedents residence	152	
Family members residence	13	
Friend/acquaintance residence	31	
Hospital/Nursing Home	2	
Hotel/Motel	0	
Unspecified residence	5	
Shelter/Halfway house	7	
Vacant residence	3	
Non-Residence*	66	
Unknown 2		
* non-residence includes street, bus/train stop park, alley/rear of buildings, place of work, re homeless camp		

Comparison of 2019 to 2020

The location of opioid overdoses remained consistent from prepandemic 2019 and during lockdowns of 2020. Indicates that within residence drug use is a major area of concern.

Residence	76%
Decedents residence	71%
Family members residence	6%
Friend/aquantience residence	15%
Hospital/Nursing Home	1%
Hotel/Motel	0%
Unspecified residence	2%
Shelter/Halfway house	3%
Vacant residence	1%
Non-Residence*	23%
Unknown	1%

homeless camp

(Jan-Dec 2020)		
Residence	78%	
Decedents residence	67%	
Family members residence	3%	
Friend/aquantience residence	16%	
Hospital/Nursing Home	1%	
Hotel/Motel	2%	
Unspecified residence	2%	
Shelter/Halfway house	6%	
Vacant residence	3%	
Non-Residence*	21%	
Unknown 1%		
* non-residence includes street, bus st of buildings, place of work, restaurant		

Location of Injury of Fatal Onioid Overdoses

FEMS Overdose Data


REALTIME(-ISH) OVERDOSE DATA



- Alerts from FEMS does not capture all ODs in DC
- De-identified data shared with select outreach teams
 Bad batch alerts
- Heat maps can be viewed on ODMAP
- Non-fatal OD analysis
 - Target date: Q1 of 2022
 - Learn how to better shape response



- 417 overdoses since April 26, 2021
 - 20 individuals with multiple ODs, 2 with 3 ODs
- ~1/3 ODs occurred in address of record
- ~1/4 ODs have some MPD involvement
- Heroin most commonly mentioned substance
- 13% have documented housing instability
- Notable locations
 - Metro stations: Anacostia, Petworth
 - Shelters: New York Ave, 801 East, Holiday Inn PEP-V
 - 7th and T St NW








Forensic Science Laboratory | Public Health Laboratory | Crime Scene Sciences

OPIOID STAKEHOLDER SUMMIT

JULY 28, 2021


DC DRUG SURVEILLANCE MODEL



DEPARTMENT

Forensic Science Laboratory | Public Health Laboratory | Crime Scene Sciences

OPIOID DISTRIBUTION (1 YEAR)







SYRINGE OVERVIEW

Compound	OCME	Syringe Exchange
Fentanyl alone (incl 4-ANPP)	29% (20)	70% (604)
Cocaine alone	30% (21)	21% (185)
Fentanyl + Cocaine	15% (10)	15% (130)
Total	69	865

OTHER CONTROLLED SUBSTANCES

- •Eutylone (Syn Cathinone)
- •MMMP (Syn Cathinone)






OPIOID SYRINGES

Syringe Exchange Survey Syringes (Delivery Date Sept 2020 to July 2021) 100% Syringe Confirmed to Contain Substane [Samples] 80% 60% 40% 20% 0% 1 2 3 4 5 6 7 8 9 10 11 Delivery Date FENTANYL ACETYL FENTANYL COCAINE **HEROIN**






METH LESS COMMON








XYLAZINE AND TRAMADOL







DEATH INVESTIGATIONS







FENTANYL ANALOGS

Synthetic Opioid	OCME	Syringe Exchange	Analgesic Potency Relative to Morphine*
Fentanyl	15	624	224
Acetyl fentanyl	1	37	16
<i>p</i> -Fluoro fentanyl	0	25	16
Heroin	9	244	2-3
Morphine	7	100	1

*United Nations Office on Drugs and Crime, Recommended methods for the Identification and Analysis of Fentanyl and its Analogues in Biological Specimens. 2017



