### SPECIFICATION SHEET



# VS260 3LCD XGA Projector



Projectors

## Own the Room

**Amazing brightness** — 3,300 lumens of color and white brightness<sup>1</sup> ideal for displaying large-group presentations, spreadsheets and videos, even in well-lit rooms

**Crisp image quality** — XGA resolution delivers crisp text and images; perfect for displaying presentations, video and more

**True 3-Chip 3LCD technology** — displays 100% of the RGB color signal for every frame, providing outstanding color accuracy while maintaining excellent color brightness, without any distracting "rainbowing" or "color brightness" issues seen with other projection technologies

**Versatile connectivity** — features an HDMI<sup>®</sup> port, so you can easily conduct Zoom video conference calls and connect streaming devices, including Fire TV, Apple TV, Roku and Chromecast<sup>2</sup>

 $\ensuremath{\text{Easy setup}}$  — built-in speaker for easy setup for video and audio right out of the box

**Built-in picture skew sensor** — automatically analyzes the picture and instantly corrects the keystone to help square the image

**Amazing dynamic contrast ratio up to 15,000:1** — provides crisp, rich detail for graphs, images and videos

**Award-winning service and support** — standard 1-year limited warranty, full-unit replacement, along with free technical phone support for the life of the product





### VS260 3LCD XGA Projector

**Specifications** 

Projection System Epson® 3LCD, 3-chip technology Projection Method Front/rear/ceiling mount Driving Method Epson Poly-silicon TFT Active Matrix Pixel Number 786,432 dots (1024 x 768) x 3 Color Brightness<sup>1</sup> Color Light Output: 3,300 lumens White Brightness<sup>1</sup> White Light Output: 3,300 lumens Aspect Ratio 4:3 Native Resolution XGA Resize Support 1024 x 768 (XGA), 1152 x 864 (SXGA), 1280 x 800 (WXGA), 1280 x 960 (SXGA2), 1280 x 1024 (SXGA3), 1440 x 900 (WXGA+), 1400 x 1050 (SXGA+)

Lamp Type 210 W UHE

Lamp Life<sup>2</sup> Normal Mode: Up to 6,000

ECO Mode: Up to 12,000 hours Throw Ratio Range 1.45 (Zoom: Wide), 1.96 (Zoom: Tele)

Size (Projected) 30" - 350"

Keystone Correction Auto Vertical: ± 30 degrees Keystone Correction Manual Horizontal: ± 30 degrees USB Plug 'n Play Projects audio and video, PC and Mac<sup>®</sup> compatible

Contrast Ratio Up to 15,000:1 Color Reproduction Up to 1.07 billion colors

#### **Projection Lens**

Type Digital zoom/Manual focus F-Number 1.44 Focal Length 16.7 mm **Zoom Ratio Digital zoom** 1.0 – 1.35 Interfaces

1x HDMI Computer/Component Video: 1x D-sub 15 pin 1X USB connector Type B: USB Display; Firmware update, Copy OSD Settings



#### Other

Display Performance NTSC: 480 lines; PAL:560 lines (depends on observation of the multi-burst pattern) Input Signal NTSC/NTSC4.43/PAL/M-PAL/N-PAL/PAL60/ SECAM

Operating Temperature 41 ° to 95 °F (5 ° to 35 °C) Power Supply Voltage  $100 - 240 \text{ V} \pm 10\%$ , 50/60 Hz **Power Consumption** Normal Mode: 345 W ECO Mode: 235 W Fan Noise Normal Mode: 37 dB Quiet Mode: 28 dB

#### Dimensions (W x D x H)

Including Feet 11.9" x 9.3" x 3.2" Excluding Feet 11.9" x 9.2" x 3.0" Weight 5.3 lb

#### **Remote Control**

Features Source Search Selection, Power, Volume, e-Zoom, A/V Mute, Freeze, Menu, Help, Auto **Operating Angle** 

Right/left: ± 30 degrees Upper/lower: ± 15 degrees Operating Distance 19.7 ft (6 m) **Eco Features** 

RoHS compliant Recyclable product<sup>4</sup> Epson America, Inc. is a SmartWay® Transport Partner<sup>5</sup>

#### Support

Epson Connection<sup>sM</sup> Pre-sales support: U.S. and Canada 800-463-7766

Internet website: www.epson.com

Service Programs 1-year projector limited warranty, Epson Extra Care<sup>SM</sup> Road Service program, PrivateLine<sup>®</sup> dedicated toll-free support and 90-day limited lamp warranty

#### What's in the Box

Contact:

VS260 projector, power cable, projector remote control, batteries, Quick Start Guide

Ordering Information	
VS260	V11H971220
Genuine Epson Lamp (ELPLP97)	V13H010L97
Replacement Air Filter	V13H134A32
Universal Projector Ceiling Mount	ELPMBPJF
Soft Carrying Case (ELPKS69)	V12H001K69
Duet <sup>™</sup> Screen	ELPSC80F
ES1000 Screen	V12H002S4Y
EX3000 Screen	V12H002S3Y

1 Color brightness (color light output) and white brightness (white light output) will vary depending on usage conditions. Color light output measured in accordance with IDMS 15.4; white light output measured in accordance with ISO 21118. | 2 Requires wireless network connection of 5 Mbps or faster. Some apps require paid subscriptions. | 3 For convenient and reasonable recycling options, visit www.epson.com/recycle | 4 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

Better Products for a Better Future eco.epson.com

3131 Katella Avenue, Los Alamitos, CA 90720



Epson Canada Limited 185 Renfrew Drive, Markham, Ontario L3R 6G3 www.epson.com www.epson.ca

EPSON is a registered trademark, EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future is a trademark of Seiko Epson Corporation. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2021 Epson America, Inc. CPD-60051R2 3/21

Specification Sheet | Page 2 of 2

Epson America, Inc.

**Business**